

PART# OHF-9-1K1K

# Overhead Garage Door Contact Floor Mounted



## Acenes

Innovative Solutions for Security

**Acenes LLC.**

155 Lafayette Ave.

White Plains, NY 10603 US

+914 233 1400

[sales@acenesllc.com](mailto:sales@acenesllc.com)

CE  UL No. BP9463

<b>Name:</b>	Overhead Garage Door Contact Floor Mounted
<b>Acenes Part:</b>	OHF-9-1K1K
<b>Name Memory Aid:</b>	Overhead Floor with built-in 1k/1k (aka 1k/2k) resistor kit
<b>Wires:</b>	2 Wires
<b>Wire Color:</b>	Blue
<b>Include 1K/1K:</b>	Yes
<b>Loop Type:</b>	Closed circuit
<b>Number of devices per package:</b>	1
<b>Certification:</b>	CE, UL
<b>Specifications:</b>	UL, CE, RoHS

## Description:

	Part Number: OHF-9-1K1K
Loop Type	Closed
Reed Form	N/O
Contact Color	-
Closed Gap (in steel door) [Inch(mm)]	2.95(75)
Departure Gap (in steel door) [Inch(mm)]	3.18(80)
Maximum Initial Contact Resistance (Ohm)	0.150
Maximum Contact Rating (W)	7.5
Maximum Switching Voltage (VDC/VAC)	100
Maximum Switching Current (A)	0.4

## Features:

- Miniature floor mount
- Universal magnet for flexibility in mounting
- Extrude aluminum casings for harsh environments
- Wire: #22AWG with 22" armored cable
- Longer cable available on request
- Switches or magnets are available separately
- Jacket cable available: BSD3013-JK
- Resistor, Diode and Supervisory Loop available on request



Innovative Solutions for Security

# OHF-9-1K1K

