

PART# RCS-075-1K1K

# Recessed Mounted Magnetic Contact $\frac{3}{4}$ " Short



## Acenes

Innovative Solutions for Security

**Acenes LLC.**

155 Lafayette Ave.

White Plains, NY 10603 US

+914 233 1400

[sales@acenesllc.com](mailto:sales@acenesllc.com)



<b>Name:</b>	Recessed Mounted Magnetic Contact ¾" Short
<b>Acenes Part:</b>	RCS-075-1K1K
<b>Name Memory Aid:</b>	Round Contact SORT (21mm) 0.75" with built-in 1k/1k (aka 1k/2k) resistor kit
<b>Wires:</b>	2 Wires
<b>Wire Color:</b>	Blue
<b>Include 1K/1K:</b>	No
<b>Loop Type:</b>	Closed circuit (in the presence of magnet) / Open circuit
<b>Number of devices per package:</b>	10
<b>Certification:</b>	ISO, RoHS, CE
<b>Specifications:</b>	UL, CE, RoHS

## Description:

	Part Number: RCS-075-1K1K	Part Number: RCS-075
Loop Type	Closed	Closed
Reed Form	N/O	N/O
Contact Color	White or Grey	White or Grey
Closed Gap (in steel door) [Inch(mm)]	¾(19)	¾(19)
Departure Gap (in steel door) [Inch(mm)]	0.95(24)	0.95(24)
Maximum Initial Contact Resistance (Ohm)	0.150	0.150
Maximum Contact Rating (W)	7.5	7.5
Maximum Switching Voltage (VDC/VAC)	100	100
Maximum Switching Current (A)	0.4	0.4

## Features:

- Diameter: ¾", press to fit
- Suitable for steel door installation
- Self-locking
- Longer leads available
- Standard 18" 22AWG leads
- Switch or magnet available separately
- 2-conductor jacket cable upon request
- Colors: white or grey (Custom colors available)

## RCS-075-1K-1K

